## 14. DRIVERS & MOTORS










MATERIAL	208379
Description	ELECTRIC, MOTOR: FOOT-MOUNTED TYPE, AB30R 180L 4 B3 3F 400D/690S/50 22.00, II2G EXD IIB T4GB IP55 TA 40°C IC411 CLF (RATED CURRENT A 44,21. FULL LOAD SPEED RPM (A/MIN) 1470), CLASS F TEMPERATURE RISE 80K
Purpose	To convert electrical energy into mechanical energy to perform work such as turning a fan, driving a pump, running machinery, or moving an electric vehicle
Where used	KPC, AIR HANDLING UNIT
Category of goods	DRIVERS & MOTORS

MATERIAL	43563
Description	MOTOR, ELECTRIC: E32SB4, 3.75 KW, 11 A, 400VAC, 50, 0.78, 1450 RPM, 80 KG, FORCE, DIRECT, EEXD, STEEL, FOR FLOATING OIL SKIMMER
Purpose	To convert electrical energy into mechanical energy to perform work such as turning a fan, driving a pump, running machinery, or moving an electric vehicle
Where used	KPC, FLOATING OIL SKIMMER
Category of goods	DRIVERS & MOTORS

## 14. ELECTRICAL MOTOR AUXILIARY PARTS








МАТЕРИАЛ	240248
Описание	BEARING, DEEP GROOVE BALL
Назначение	To support the rotating shaft and allow it to spin smoothly with minimal friction
Применение	KPO Units
Категория товаров	DRIVERS & MOTORS

## 14. ELECTRICAL MOTOR AUXILIARY PARTS







ſ	МАТЕРИАЛ	10176
(	Описание	COWL, FAN: FOR MODEL AE200L MOTOR
H	Назначение	To guide and protect the cooling airflow generated by the motor's fan, ensuring efficient heat dissipation and safe operation
Г	Применение	KPC, Electrical Workshop
F	Категория товаров	DRIVERS & MOTORS

